



*Phoenix Display International, Inc.*

# PRODUCT PREVIEW

## 1.4" 128 X 64 Monochrome

# TN/STN

Graphics  
Liquid Crystal Display

### Small Size Graphics

The PDIG-12864X9G(R)-VA is Monochrome with a 128 x 64 resolution. All our graphic displays products can be modified to add touch panels or removed upon request (there may or may not be tooling associated with touch-panel changes)

### Product Application(s)

The products usage:

- Testing and Measurement
- Hand Held mobile
- Communication
- Military
- Consumer Devices

## SPECIFICATIONS

### MODULE

Part Number	PDIG-12864X9G(R)-VA
Overall Dimensions	40.0mm x 25.0mm x 4.0mm
Power Supply	3.0V
Backlight System	
Display Type	FSTN, Postive, Transflective
Format	128 x 64
Active Area	31.98mm x 14.70mm
Dot Size	0.23mm x 0.23mm
Pixel Pitch	0.02mm x 0.02mm
Operatimg Temperature	-20°C to 70°C
Driver Attach	COG
Brightness	
Controller	ST7567





*Phoenix Display International, Inc.*


# PRODUCT PREVIEW

## 1.4" 128 X 64 Monochrome

# TN/STN

Graphics  
Liquid Crystal Display

### DIMENSIONAL DRAWING



Phoenix Display International reserves the right to change this document without prior notice and disclaims all warranties. It is the recipient's duty to confirm with PDI before proceeding with a design. This document is PDI confidential and should not be reproduced without PDI approval.



Phoenix Display International, Inc.  
www.phoenixdisplay.com sales@phoenixdisplay.com  
Tel: (630) 359-5700



*Phoenix Display International, Inc.*

**TN/STN**

Graphics  
Liquid Crystal Display

# PRODUCT PREVIEW

## 1.4" 128 X 64 Monochrome

### PIN ASSIGNMENT

PIN NO.	1	2	3	4	5	6	7	8	9	10	11	12	13
SYMBOL	VG	XV0	V0	VSS	VDD	SDA	SCL	A0	/RES	/CS1	A1	A2	K

